
Powikłania po trabekulektomii, aktualne strategie działania – przegląd piśmiennictwa

Complications After Trabeculectomy and Current Strategies – Literature Review

Małgorzata Sobolewska¹, Ewa Mrukwa-Kominek^{1,2}

¹ Oddział Okulistyki Dorosłych Uniwersyteckiego Centrum Klinicznego im. prof. K. Gibińskiego Śląskiego Uniwersytetu Medycznego w Katowicach

Kierownik: prof. dr hab. n. med. Ewa Mrukwa-Kominek

² Klinika Okulistyki Katedry Okulistyki Wydziału Nauk Medycznych w Katowicach Śląskiego Uniwersytetu Medycznego w Katowicach

Kierownik: prof. dr hab. n. med. Ewa Mrukwa-Kominek

Summary:

Glaucoma is the first cause of blindness in Europe and over the world. The purposes of its treatment are lowering intraocular pressure. For patients who have visual potential, conventional glaucoma surgery such as trabeculectomy is frequently performed. The most common failures of it are associated with functioning of the filtering bleb, which causes inappropriate filtration and ultimately hypotony or increased intraocular pressure. Prevention or good treatment of complications after trabeculectomy is necessary to achieve long-term success of anti-glaucoma surgery.

Key words:

glaucoma, trabeculectomy, intraocular pressure, ocular hypotony, endophthalmitis.

Słowa kluczowe:

jaskra, trabekulektomia, ciśnienie wewnątrzgałkowe, hipotonia, zapalenie wnętrza gałki ocznej.